

Suite of

AMBULATORY SURGERY CENTER

products to fit your needs



Precision, versatility, and safety
working seamlessly together

Product features to enhance your
productivity and bottom line

Full suite of products offered in
one convenient place



Bovie

Quality Surgical Products
procedure-focused design

The Next Generation of Electrosurgical Generators

ELECTROSURGICAL GENERATORS



A3350 – OR | PRO 300

Feature: The **dual monopolar ports** allow two surgeons to work simultaneously in the spray coagulation setting.

Benefit: The two surgeons can work in separate areas allowing the procedure to be completed faster.

Feature: The **Auto Bipolar** setting allows the surgeon to activate the bipolar forceps without a foot pedal.

Benefit: The surgeon does not have to look down to locate the foot pedal allowing for quicker activation of the bipolar forcep saving time and motion during the procedure.

Feature: The **Bovie® bipolar** has more power than the Macro, Micro, and Standard bipolar settings.

Benefit: The surgeon has enough power to complete most procedures.

Feature: Gentle Coag Mode

Benefit: This mode provides a gentle coag mode when a Gold Probe™* is used during a colonoscopy to prevent perforation of the intestine.

Feature: Split Pad

Benefit: Complete patient safety to prevent burns during procedures just like our larger units in the Operating Room.

*Gold Probe is a product of Boston Scientific



Unsurpassed 4-year warranty on all Bovie Electrosurgery Generators!



A2350 – Surgi-Center | PRO

Feature: The **dual monopolar ports** allow two surgeons to work simultaneously in the spray coagulation setting.

Benefit: The two surgeons can work in separate areas allowing the procedure to be completed faster.

Feature: The surgeon can move very smoothly from monopolar to bipolar.

Benefit: Saves the surgeon time and motion during the procedures.

Feature: The A2350 Surgi-Center | PRO generator has **four blend settings**.

Benefit: The four blend settings allows the surgeon to customize how much coag they want in the cut setting.

Feature: The **Cut 2 setting** allows the surgeon to do laparoscopic procedures.

Benefit: Doing the laparoscopic procedures in an outpatient environment is usually more convenient for the patient and provides more revenue to the surgeon. This mode will help prevent direct coupling during a laparoscopic procedure.

Feature: Split Pad

Benefit: Complete patient safety to prevent burns during procedures just like our larger units in the Operating Room.

GENERATORS COMPARISON

FEATURES FOR:	A3350	A2350
Cut (# of modes)	✓ 300 W (2)	✓ 200 W (2)
Blend (# of steps)	✓ 200 W (4)	✓ 200 W (4)
Pinpoint Coag	✓ 120 W	✓ 120 W
Fulguration/Spray Coag	✓ 120 W	✓ 120 W
Gentle Coag	✓ 120 W	✓ 120 W
Macro Bipolar	✓ 150 W	✓ 80 W
Standard Bipolar	✓ 50 W	✓ 50 W
Micro Bipolar	✓ 80 W	✓ 80 W
Bovie Bipolar	✓ 225 W	

FEATURES FOR:	A3350	A2350
Pad Alarm	✓	✓
Pad Sensing (tissue impedance)	✓	✓
Presets (# of presets)	✓ (10)	✓ (10)
PENCILS/HANDPIECES FOR:	A3350	A2350
Foot Control	✓	✓
Standard 3-Pin	✓	✓
ESPR2 Reusable Pencil	✓	✓
Two Pencil Configuration	✓	✓
US, Canada	✓	✓
CE	✓	✓

Illuminating the Path to Better Healthcare

MEDICAL LIGHTING

The **System Two LED series** presents an unmatched value for surgery centers seeking lighting options. The energy-efficient design consumes half the electricity of its halogen counterpart to offer significant long-term savings for the healthcare facility. The long-life 50,000-hour rated LEDs eliminate procedure room downtime and are output-rated at 130,000 Lux with a Kelvin color temperature of 4300°. The System Two LED series is designed with the unique spring arm system which can be adjusted for the life of the product providing optimal surgical site visibility and positioning. This lighting system is available in solo, duo, and tri mounting styles; with or without camera and monitors.



Recommended Complementary Products

ELECTROSURGICAL PENCILS



ESP1 – Disposable pencil with blade



ESP1T – Disposable pencil with coated blade



ESP7 – Disposable pencil with blade for use with footswitch



ESPR2 – Reusable pencil with disposable blade (blade sold separately)

FOOTSWITCHES



BV1254B – Bipolar footswitch



BV1253B – Monopolar footswitch

RETURN ELECTRODES & CORD



A1252C



ESRE



ESREC

MOBILE CART



BV-IDS-CS

Recommended Complementary Products

SMOKE EVACUATION SYSTEM



Smoke Shark™ II

The Bovie® Smoke Shark II is designed to be easy to use and is effective for controlling surgical smoke generated from the use of any energy devices including electrosurgical, laser, and ultrasonic products.



SEPAT – Pencil adaptor for smoke evacuator



SERS2 – EZ Link remote activation switch for Smoke Shark II

*DISPOSABLE ELECTRODES



ES58T – Resistick™ II coated blade



ES57T – Resistick II coated needle



ES21T – Resistick II coated ball



ES54T – Resistick II coated modified blade



ES60 – SuperCut™ tungsten needle



ES63 – SuperCut tungsten needle



AR00 – Arthoscopic hook, 90°



AR01 – Arthoscopic hook, 45°

*LAPAROSCOPIC ELECTRODES



LJ07 – J-hook wire



LH08BT – Coated L-hook wire



LN03 – Needle



LC04BT – Coated curved blade



ES09 – 10mm x 10mm loop



ES11 – 15mm x 10mm loop



ES12 – 20mm x 8mm loop



ES49 – 20mm x 10mm loop



ES07 – Extended ball



ES01 – Standard Blade



ES02 – Standard needle



ES39 – Extended modified blade



ES40 – Extended modified needle



ES37 – Modified blade



ES38 – Modified needle

*REUSABLE BIPOLAR FORCEP & CORD



A820 – Bayonet, fine bipolar forcep



A843 – Tenzel micro bipolar forcep



A827V – Bipolar forcep cord

*More electrode styles available